

CareMaster IFA



(Page: 1 for product 97300140)

Description

Product No.: 97300140

€2,950.00*

excluding VAT

CareMaster IFA

The mobile extraction system filters smoke and dust that arise during welding processes with non-alloy steel or stainless steel.

The device is IFA tested for the welding smoke class W3. The degree of separation is more than 99 %. The cleaned air will be returned to the working area.

Options like on-off switch at the hood or automatic start-stop or lighting inside the hood are possible, but must be requested separately.

Properties

Volumetric flow [m³/h]:	2.500
max. pressure [Pa]:	2.500
Engine power (kW):	1,1
Supply voltage (V):	400
Connection frequency [Hz]:	25
Current consumption (A):	2,42
Current type:	3Ph+N+PE
Width [mm]:	665
Depth [mm]:	681
Length [mm]:	995
Colour:	RAL 7016

Replacement parts



Particle filter F9, 610 x 610 x 292 mm
Product No.: 10029

€328.00*



Pre-filter mats, pack of 10
Product No.: 10032


€126.00*



Exhaust ventilation hood diam. 150 mm
Product No.: 66200

€185.00*

Accessories



Wire mesh filter 610 x 610 x 15 mm in
aluminium
Product No.: 100008

€164.00*



Hepa filter H13, 610 x 610 x 292mm
Product No.: 10030

€405.00*



Filter cassette H13, filter surface: 14m²
Product No.: 100357

€406.00*



Exhaust ventilation hood
Product No.: 104901

€316.00*




On/off switch via suction hood
Product No.: 96313321

€290.00*



Lighting for 1 suction arm/crane
Product No.: 96323

€345.00*



Activated carbon filter
Product No.: 97053

€738.00*



Adapter for extraction hood; diam.: 150
Product No.: 66210

€65.00*



Adapter for extraction hood; diam 150
mm,
Product No.: 66220

€65.00*



Protection grille (finely woven) for
installation

Product No.: 10372

€55.00*