The air purifiers

Set FilterCase Basic for 2 working places



TEKA Extraction and Waste Disposal Technology Ltd · Millenkamp 9 · 48653 Coesfeld
Tel.: +49 2541 / 84841-0 · Fax: +49 2541 / 84841-72 · Mail: info@teka.eu · Web: www.teka.eu

Product No.: 97871

Description

Set FilterCase Basic for 2 working places

This small filter system is suitable for processes that produce very little smoke, like for example repair work at jewelers.

Equipped with 3 filter stages, particles and gasses are separated.


The performance of the system can be adjusted as required with the potentiometer.

Properties

Intake opening (mm):	2 x NW 50
Main filter quantity:	1
Volumetric flow (m³/h):	200
max. pressure (Pa):	17,000
Engine power (kW):	0.8
Supply voltage (V):	230
Connection frequency (Hz):	50
Vorfilter:	ISO 16890 ePM20 coarse > 60% (G4)
Filter class:	DIN ISO 16890 ePM1 > 60%
Sound level (dB(A)):	65 – in accordance with DIN EN ISO 3744
Weight (kg):	17
Width (mm):	280
Depth (mm):	330
Height (mm):	480
Colour:	RAL 9010

TEKA Extraction and Waste Disposal Technology Ltd · Millenkamp 9 · 48653 Coesfeld
Tel.: +49 2541 / 84841-0 · Fax: +49 2541 / 84841-72 · Mail: info@teka.eu · Web: www.teka.eu

Replacement parts



Prefilter for FilterCase Basic, set of 10 pieces
Product No.: 978400011



Main filter 283x206x25mm for FilterCase Basic
Product No.: 978400012



Set carbon brushes for turbine dustoo + FilterCase
Product No.: 9870004

TEKA Extraction and Waste Disposal Technology Ltd · Millenkamp 9 · 48653 Coesfeld
Tel.: +49 2541 / 84841-0 · Fax: +49 2541 / 84841-72 · Mail: info@teka.eu · Web: www.teka.eu