

*The air purifiers*



# ALSIDENT Suction arm, 50 mm



## Description

# ALSIDENT Suction arm, 50 mm

The suction arm made of anodized aluminum tubes and 3 joints of polypropylene has been developed for the local exhaust with no special requirements for chemical resistance or the conductivity.

Through its self-sustaining construction, the suction arm is easy to use and easy to adjust in its position.

The installation is quickly and easily. It is easy to disassemble the arm and reassemble it after cleaning without the need for tools.

Using high quality materials ensures durability and low maintenance.

The extraction arm is equipped with a regulating damper to open/close.

## Properties

Mounting type:	Table mounting
Number of joints:	3
Length (mm):	945
Diameter (mm):	50
Joints colour:	white
Version:	aluminium

## Accessories



Suction nozzle 200 mm  
Product No.: 150205



Extractor tube, anodised alu, diam. 50  
Product No.: 15021



ALSIDENT Suction hood, DN 50, 300 x  
250 mm  
Product No.: 15024225



Tube nozzle, aluminium, DN 50mm,  
Product No.: 15031



Suction hood; white  
Product No.: 150355



Table bracket, type 50 mm  
Product No.: 25010



Reduction - 63 mm to 50 mm  
Product No.: 46350



Reduction 80 mm to 50 mm  
Product No.: 48050



Extractor tube / antistatic  
Product No.: 150225



Extractor tube / antistatic  
Product No.: 150325



Suction nozzle 200 mm  
Product No.: 150105



ALSIDENT Suction hood, DN 50, 330 x  
240 mm  
Product No.: 15033245



Exhaust air hose, multi-layer aluminium  
foil

Product No.: 516