The air purifiers

# Grinding bench with rear wall suction





**TEKA Absaug- und Entsorgungstechnologie GmbH** · Millenkamp 9 · 48653 Coesfeld
Tel.: +49 2541 / 84841-0 · Fax: +49 2541 / 84841-72 · Mail: info@teka.eu · Web: www.teka.eu

**Product No.: 56420**

## Description

# Grinding bench with rear wall suction

The **TEKA grinding table with rear wall suction** extracts grinding dust directly at the workpiece, backwards through the rear wall and downwards through the table surface. Most of the captured particles are already separated in the table and in the rear wall. The table is connected to a filter system or a fan.

### At a glance

- **Capture:** rear wall suction and downdraft extraction
- **Surface:** flat steel surface, wooden slats optional
- **Separation:** pre-separator in the table
- **Disposal:** dust collection drawer
- **Construction:** sturdy welded design

### Your benefits

- **Dust stays at the table:** extraction backwards and downwards captures the dust where it is generated.
- **Easy disposal:** the separated dust collects in the dust collection drawer and can be disposed of safely.
- **Also for long workpieces:** without fixed side walls, long and bulky parts can be worked on ergonomically.
- **Expandable:** side panels, lamella curtains and a partial roof with lighting can be retrofitted.

### Applications

Grinding, deburring and brushing in workshops and production.

### Standard equipment

Rear wall suction, flat steel surface, pre-separator, dust collection drawer, blanking cover for the second downdraft connection.

### Options

Swivelling side panels, folding lamella curtains, partial roof with lighting, wooden slats, special sizes on request.

The grinding table is available in several widths; dimensions and the required air volume can be found in the technical data. Find out more about grinding dust extraction and suitable filter systems for grinding dust on our overview pages.

## Properties

| | |
|---|---|
| **Width (mm):** | 2,000 |
| **Depth (mm):** | 1,000 |
| **Height (mm):** | 1,650 |
| **Colour:** | RAL 7016 |



**TEKA Absaug- und Entsorgungstechnologie GmbH** · Millenkamp 9 · 48653 Coesfeld
Tel.: +49 2541 / 84841-0 · Fax: +49 2541 / 84841-72 · Mail: info@teka.eu · Web: www.teka.eu

## *Accessories*



Option lamellas for grinding table
Product No.: 999200005



Side plate (2 pcs.) for grinding bench
Product No.: 999200040



Wooden bars (set of 10) for grinding benches
Product No.: 819194



**TEKA Absaug- und Entsorgungstechnologie GmbH** · Millenkamp 9 · 48653 Coesfeld
Tel.: +49 2541 / 84841-0 · Fax: +49 2541 / 84841-72 · Mail: info@teka.eu · Web: www.teka.eu