

The air purifiers

TEKA

AirFilter Mini Typ HD 220-240 Volt, 50/60 Hz



(Page: 1 for product 94100)

Description

AirFilter Mini Typ HD 220-240 Volt, 50/60 Hz

The filter system can be used in different areas like electronic industry, dental and medical technology or laser systems for the extraction of small amounts of dust.

Equipped with 3 filter stages, particles and gasses are separated.

The filter system is designed for continuous operation.

Via display you can adjust the required performance.

Properties

Blower type:	Continuous-flow turbine
Main filter quantity:	1
Volumetric flow (m ³ /h):	300
max. pressure (Pa):	15,000
Engine power (kW):	1.2
Supply voltage (V):	230
Connection frequency (Hz):	50/60
Current consumption (A):	9
Automatic cleaning:	No
Pre-filter:	M5
Vorfilter:	ISO 16890 ePM10 > 50% (F5)
main filter:	H13
Filter class:	H13
final filter:	activated carbon filter
Separation efficiency (%):	> 99
Ansaugstutzen (mm):	2 x NW 50, 1 x NW 71, 1 x Kombi 50/75
Sound level (dB(A)):	58
Weight (kg):	40
Width (mm):	365
Depth (mm):	496

(Page: 2 for product 94100)

Properties


Height (mm): 626

Accessories

Suction hose with two connectors
Product No.: 9631925

Replacement parts

Replacement combi-filter for AirFilter Mini
Product No.: 10031941



Pre-filter set M5 Size: 280 x 280 x 20 mm
Product No.: 10033280