

*The air purifiers***TEKA**

# CareMaster IFA



(Page: 1 for product 97300101)

## Description

Product No.: 97300101

€3,055.00\*

excluding VAT

# CareMaster IFA

## TEKA CareMaster IFA – Mobile Extraction Unit for Clean Air During Welding

The **TEKA CareMaster IFA** is the ideal mobile extraction unit for professional welding applications. Designed to effectively eliminate welding fumes and fine dust, this powerful system ensures clean air in the workplace, enhancing the safety and health protection of your employees. With an **IFA certification** for welding fume class W3 and an impressive **separation efficiency of over 99%**, the CareMaster IFA is perfect for use with unalloyed and stainless steel materials.

### Your Benefits at a Glance:

- **Highly Effective Filtration Technology:** The CareMaster IFA features an M5 pre-separator and an F9 main filter, providing effective air purification.
- **Flexible & Mobile:** Its compact design and smooth-running casters make the CareMaster IFA ideal for use in different locations within workshops and production environments.
- **Easy Handling:** Thanks to intuitive operation and optional features such as automatic on/off switching or integrated lighting, the unit is particularly user-friendly.

### Efficient Air Purification for the Highest Demands

With a maximum fan capacity of **2,500 m³/h** and a pressure of up to **2,500 Pa**, the CareMaster IFA effortlessly handles even demanding applications. The purified air is returned directly to the work area, eliminating the need for additional ventilation. This not only saves energy costs but also makes the unit highly efficient.

Despite its powerful performance, the CareMaster IFA operates quietly with a **noise level of around 72 dB(A)**. The unit is designed to operate with a **400 V power supply** and has a robust construction that withstands the toughest working conditions.

### Ideal for:

- Welding workstations (unalloyed and stainless steels)
- Workshops and production environments
- Areas with high fine dust and fume exposure

**Optimize your work environment with the TEKA CareMaster IFA** – for maximum safety, clean air, and a healthy workplace.

*Discover now how the CareMaster IFA can sustainably improve your working conditions!*

## Properties

Volumetric flow (m³/h):	2.500
max. pressure (Pa):	2.500
Engine power (kW):	1,1
Supply voltage (V):	400
Connection frequency (Hz):	50
Current consumption (A):	2,42
Current type:	3Ph+N+PE
Pre-filter:	M5
main filter:	F9
Sound level (dB(A)):	ca. 72

(Page: 2 for product 97300101)

*Properties*

Weight (kg):	122
Width (mm):	665
Depth (mm):	681
Height (mm):	995
Colour:	RAL 7016

*Replacement parts*

Particle filter F9, 610 x 610 x 292 mm  
Product No.: 10029

**€339.00\***



Pre-filter mats, pack of 10  
Product No.: 10032

**€130.00\***



Exhaust ventilation hood diam. 150 mm  
Product No.: 66200

**€191.00\***

*Accessories*

Adapter for extraction hood; diam.: 150  
Product No.: 66210

**€67.00\***



Adapter for extraction hood; diam 150 mm,  
Product No.: 66220

**€67.00\***



Protection grille (finely woven) for installation  
Product No.: 10372

**€55.00\***