


*The air purifiers*



# ALSIDENT Suction arm, 75 mm



## Description

# ALSIDENT Suction arm, 75 mm

The suction arm made of anodized aluminum tubes and 3 joints of polypropylene has been developed for the local exhaust with no special requirements for chemical resistance or the conductivity.

Through its self-sustaining construction, the suction arm is easy to use and easy to adjust in its position.

The installation is quickly and easily. It is easy to disassemble the arm and reassemble it after cleaning without the need for tools.

Using high quality materials ensures durability and low maintenance.

The extraction arm is equipped with a regulating damper to open/close.

## Properties

Mounting type:	Wall or ceiling mounting
Number of joints:	3
Length (mm):	1,990
Diameter (mm):	75
Farbe Gelenke:	white
Ausführung:	aluminium

## Accessories



Suction hood; Diam 200 mm, white  
Product No.: 175245



Extractor tube, anodised alu, diam. 75  
Product No.: 17525



Slit-suction nozzle length 250 mm size 75,  
Product No.: 175255



Suction hood; white, diam 280 mm  
Product No.: 175285



Suction hood, white,  
Product No.: 175355



ALSIDENT Suction hood, DN 75, 420 x  
320 mm  
Product No.: 17542325



Ceiling column; connection at the side  
Product No.: 275080




ALSIDENT Reducer 100 mm - 75 mm,  
white  
Product No.: 410075



Extractor tube, white, length 250mm  
Product No.: 175265



Ceiling column, white, System 50  
Product No.: 225020



Ceiling column; connection at the side  
Product No.: 210080



Suction hood; Diam 200 mm, white  
Product No.: 17524



U-profile System 100  
Product No.: 2195



Protective nettings; System 75  
Product No.: 5177