

The air purifiers



SPA 501 for laser applications



(Page: 1 for product 9400102)



Description

Product No.: 9400102

€6,675.00*

excluding VAT

SPA 501 for laser applications

Mobile filter unit SPA 501 for laser applications.

The SPA 501 is developed for use with laser devices (especially during the manufacturing of rubber stamps).

The housing is made of stable steel-sheet and is powder coated on the inside and even on the outside.

The SPA 501 is equipped with a new HEPA-STORAGE-FILTER with a long life time and a high separating degree.

The first filter step is the large Hepa-Storage-Filter. The Hepa-Storage-Filter separates the fumes and dust. The air is lead through the high efficiency Hepa-Storage-Filter where fumes and dust are separated. Then the air is lead through the activated carbon filter and adsorb the gases and smells.

The filter unit is equipped with two high-vacuum turbines with a continuous running rotor. You can regulate the suction power with an infinitely adjustable speed-regulator. An automatic control shows when a filter change is necessary.

The front doors enable the filter to be taken out easily and there is also easy access to the controls and the turbines. The air is led back to the working area by means of a 2-level filter system.

Of course the equipment is delivered ready to plug-in and is also equipped with a 5,0 m long cable.

Properties

| Blower type: | 2 x Dauerläuferturbine, zweistufig |
|----------------------------|---|
| Control interface: | SUB D9 |
| Intake manifold (mm): | 2 x NW 100 |
| Interface description: | Pin 1&2 = Start (potentialfrei brücken -> z. B. Schalter) Pin 3&4 = Betrieb (potentialfrei) Pin 5&6 = Störung (potentialfrei) Pin 7 = Erhöhung der Tubinenleistung Pin 8 = Redu |
| Volumetric flow (m³/h): | 520 |
| max. pressure (Pa): | 21.000 |
| Engine power (kW): | 2,4 |
| Supply voltage (V): | 230 |
| Connection frequency (Hz): | 60 |
| Current consumption (A): | 1,18 |
| main filter: | F8 |
| Filter class: | Speicherfilter |
| Hauptfilter Anzahl: | 1 |
| final filter: | Aktivkohlekassette (Füllung 25 kg) |
| Separation efficiency (%): | 99,9 |
| Ausblas: | NW 125 |
| Sound level (dB(A)): | 70 (Page: 2 for product 940 |

Properties

| Weight (kg): | 110 |
|--------------|----------|
| Width (mm): | 365 |
| Depth (mm): | 681 |
| Height (mm): | 1.110 |
| Colour: | RAL 9010 |

Replacement parts



Hepa storage filter 610x305x292 mm Product No.: 1003502

€498.00*



Activated carbon filter 610x305x292mm+ Activated carbon filling for LMD 501/SPA 6mm sealing and

Product No.: 9705202

€895.00*



Product No.: 100197142502

€545.00*

Accessories



Hose clip, dia. 100 mm Product No.: 51184

€3.70*



High vacuum hose, diameter 100 mm Product No.: 511040025

€211.55*

(Page: 3 for product 9400102)