

The air purifiers

ALSIDENT Suction arm, 75 mm, antistatic



(Page: 1 for product 7590903226)

Description

ALSIDENT Suction arm, 75 mm, antistatic

The extraction arm has been specially developed for use in aggressive environments. The pipes and joints are made of impact-resistant, conductive, chemically resistant polypropylene. The threaded rods, springs and finger screws are made of acid-resistant stainless steel.

Thanks to its self-supporting design, the extraction arm is easy to handle and can be easily repositioned.

Installation is quick and easy. The extraction arm can be dismantled and reassembled without tools for cleaning.

The use of high-quality materials ensures a long service life and low maintenance.

The extraction arm is equipped with a control flap for opening/closing as standard.

Properties

Mounting type:	Wand- oder Deckenmontage
Number of joints:	3
Length (mm):	1.990
Diameter (mm):	75
Joints colour:	schwarz
Version:	antistatisch

Accessories



Ceiling column; connection at the side
Product No.: 275080



Ceiling column, white, System 50
Product No.: 225020



Suction hood, flat, antistatic version
Product No.: 17533246

(Page: 2 for product 7590903226)



Ceiling column; connection at the side
Product No.: 2100080



Extractor tube, anodised alu, diam. 75,
antistatic
Product No.: 175256

(Page: 3 for product 7590903226)