

The air purifiers



AirTracker Pro



(Page: 1 for product 2017014020)

Description

Product No.: 2017014020

€1,955.00*

excluding VAT

AirTracker Pro

The AirTracker Pro is the advanced development of the AirTracker Basic.

It also offers a UART interface allowing asynchronous data transmission (UART = "Universal Asynchronous serial Receiver and Transmitter")

This results in numerous possibilities for the communication and control of various machines, circuits and components.

The AirTracker Pro can easily be expanded with the sensors Process Control and Fire Detection (see accessories).

This allows users to use the AirTracker Pro as a quick warning system in the event of threshold overruns or as an automatic control unit for various extraction systems, for example when automatically starting a welding robot or cutting table.

The advantage: Employees are always protected when necessary, and the extraction system is only used when it is actually needed.

This measure can significantly reduce energy costs. Digital health care is being optimised.

Properties

Supply voltage (V):	110 / 230
Material:	Metal housing
Sound level [dB(A)]:	40 - 140
Weight [kg]:	approx. 12
Width [mm]:	600
Depth [mm]:	250
Length [mm]:	220
Colour:	RAL 7016
Interface description:	LAN-/WLAN, OPC UA, MQTT
Radio standard:	2.4 GHz IEEE 802.15 compliant wireless standard
Humidity [%]:	10 - 95
Mini processor:	CPU i.MX6 with 2 cores up to 1 GHz frequency
Security:	128-bit AES Verschlüsselung
Memory:	4 GB Flash/RAM 1 GB/SD card slot
Temperature [°C]:	- 10 up to + 60
Polvo fino [mg/m³]:	0 - 30

(Page: 2 for product 2017014020)

Accessories



Software AAS

Product No.: 20170190

€113.00*

(Page: 3 for product 2017014020)

* All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.