

Los purificadores de aire



AirTracker Pro



(Page: 1 for product 2017014020)

Descripción

Producto No.: 2017014020

1.955,00 €*
sin IVA

AirTracker Pro

The AirTracker Pro is the advanced development of the AirTracker Basic.

It also offers a UART interface allowing asynchronous data transmission (UART = "Universal Asynchronous serial Receiver and Transmitter")

This results in numerous possibilities for the communication and control of various machines, circuits and components.

The AirTracker Pro can easily be expanded with the sensors Process Control and Fire Detection (see accessories).

This allows users to use the AirTracker Pro as a quick warning system in the event of threshold overruns or as an automatic control unit for various extraction systems, for example when automatically starting a welding robot or cutting table.

The advantage: Employees are always protected when necessary, and the extraction system is only used when it is actually needed.

This measure can significantly reduce energy costs. Digital health care is being optimised.

Propiedades

Tensión de conexión (V):	110 / 230
Material:	Carcasa de metal
Nivel de ruido [dB(A)]:	40 - 140
Peso [kg]:	aprox. 12
Ancho [mm]:	600
Fondo [mm]:	250
Longitud [mm]:	220
Color:	RAL 7016
Descripción del interfaz:	LAN-/WLAN, OPC UA, MQTT
Radiodifusión estándar:	2.4 GHz IEEE 802.15 radiodifusión estándar de conformidad
Humedad [%]:	10 - 95
Mini procesador:	CPU i.MX6 con dos núcleos de hasta 1 GHz
Seguridad:	128-bit AES Verschlüsselung
Memoria:	4 GB Flash/RAM 1 GB/SD ranura para tarjetas
Temperatura [°C]:	-10 hasta +60
Fine dust [mg/m³]:	0 - 30

(Page: 2 for product 2017014020)

Accesorios



Software AAS

Producto No.: 20170190

113,00 €*

(Page: 3 for product 2017014020)

* Salvo indicación contraria, todos los precios se incrementan con el IVA aplicable, los gastos de envío y posibles tasas de reembolso.